Uday Bondhugula

Department of Computer Science and Automation Indian Institute of Science Bangalore 560012 INDIA

uday@csa.iisc.ernet.in

January 20, 2014

< 口 > < 同

æ

Multicore Computing Lab IMPACT 2014

 Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench

- Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench
- A lot of lower-level building blocks (isl, cloog, osl, pet, pluto, pocc, pips, bee+cl@k, ...), but almost no use in high-level domain-specific compilers

- Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench
- A lot of lower-level building blocks (isl, cloog, osl, pet, pluto, pocc, pips, bee+cl@k, ...), but almost no use in high-level domain-specific compilers
- Include reference applications for such domains in polybench

- Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench
- A lot of lower-level building blocks (isl, cloog, osl, pet, pluto, pocc, pips, bee+cl@k, ...), but almost no use in high-level domain-specific compilers
- Include reference applications for such domains in polybench
- Build such domain-specific code generators
- Missed opportunities

- Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench
- A lot of lower-level building blocks (isl, cloog, osl, pet, pluto, pocc, pips, bee+cl@k, ...), but almost no use in high-level domain-specific compilers
- Include reference applications for such domains in polybench
- Build such domain-specific code generators
- Missed opportunities
 - Halide: A language and compiler for ... image processing pipelines [Ragan-Kelley et al., PLDI 2013]

- Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench
- A lot of lower-level building blocks (isl, cloog, osl, pet, pluto, pocc, pips, bee+cl@k, ...), but almost no use in high-level domain-specific compilers
- Include reference applications for such domains in polybench
- Build such domain-specific code generators
- Missed opportunities
 - Halide: A language and compiler for ... image processing pipelines [Ragan-Kelley et al., PLDI 2013]
 - OAGUE (Bosilca et al., Univ of Tennessee)

- Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench
- A lot of lower-level building blocks (isl, cloog, osl, pet, pluto, pocc, pips, bee+cl@k, ...), but almost no use in high-level domain-specific compilers
- Include reference applications for such domains in polybench
- Build such domain-specific code generators
- Missed opportunities
 - Halide: A language and compiler for ... image processing pipelines [Ragan-Kelley et al., PLDI 2013]
 - OAGUE (Bosilca et al., Univ of Tennessee)
 - Pochoir (Tang et al. SPAA 2011)

- Build domain-specific code generators for use as a common infrastructure to report polyhedral optimizations and progresses on, instead of reporting just on polybench
- A lot of lower-level building blocks (isl, cloog, osl, pet, pluto, pocc, pips, bee+cl@k, ...), but almost no use in high-level domain-specific compilers
- Include reference applications for such domains in polybench
- Build such domain-specific code generators
- Missed opportunities
 - Halide: A language and compiler for ... image processing pipelines [Ragan-Kelley et al., PLDI 2013]
 - DAGUE (Bosilca et al., Univ of Tennessee)
 - Pochoir (Tang et al. SPAA 2011)
 - 4 LBM